

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	920	(242/362,362.2,571,576,576.1).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/09/01 19:57
L2	19	1 and (roll\$2 bar product material) near10 ((guid\$3 secur\$3 distal end feed fed seat \$3) and (rectang\$4 squar\$3 trapezoid\$2 triang\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/01 20:01
L3	1	("1981556").URPN.	USPAT	OR	ON	2008/09/01 20:11
L4	12	("1660608"   "2529185"   "2789775"   "3945585"   "4664329"   "4674701"   "5465922"   "5769342"   "5772151").PN. OR ("6318660").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/01 20:12
L5	158	1 and (roll\$2 bar (product material) near4 (metal\$3 steel alloy\$2)) near4 (coil\$3 reel \$3 wind\$3 spool\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/01 20:15
L6	145	5 not (2 3 4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/01 20:16
L7	11	("0464234"   "1056410"   "1823990"   "3592399"   "3945585"   "4664329"   "5409180"   "6666398").PN. OR ("7246767").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/01 20:21
L8	405	242/407.1,470,579,580,587,587.2.ccls. and (roll\$2 bar (product material) near4 (metal\$3 steel alloy\$2)) near4 (coil\$3 reel\$3 wind\$3 spool\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/01 20:36

L9	398	8 not (2 3 4 6 7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/01 20:36
L10	239	9 not (yarn paper cloth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/01 20:38
L11	62	242/362,362.2,571,576,576.1,407.1,470,579,580,587,587.2.ccls. and (roll\$2 bar \$1stock malleable (product material) near4 (metal\$3 steel alloy\$2)) near20 ((coil\$3 wind\$4) and (catch\$4 hold\$3 secur\$3 wedg\$4 friction\$4) and (end distal diameter surface outer cross\$1section) and (protru\$4 tooth exten\$4 pincer)) not (yarn paper cloth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/01 20:50
L12	0	242/362,362.2,571,576,576.1,407.1,470,579,580,587,587.2.ccls. and (yield adj (stress strength)) near20 ((coil\$3 wind\$4) and (catch\$4 hold\$3 secur\$3 wedg\$4 friction\$4) and (end distal diameter surface outer cross\$1section) and (protru\$4 tooth exten\$4 pincer)) not (yarn paper cloth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/01 20:52
L13	5	11 not (2 3 4 6 7 10)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/01 20:53
L14	5	("3536274").URPN.	USPAT	OR	ON	2008/09/01 20:55
L15	10	242/362,362.2,571,576,576.1,407.1,470,579,580,587,587.2.ccls. and (roll\$2 bar \$1stock malleable (product material) near4 (metal\$3 steel alloy\$2)) near20 ((coil\$3 wind\$4) and (catch\$4 hold\$3 secur\$3 wedg\$4 friction\$4) and (end distal diameter surface outer cross\$1section) and (abut\$4)) not (yarn paper cloth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/01 20:57
L16	0	15 not (2 3 4 6 7 10 13)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/01 20:59

L17	50	((("6955278") or ("3592399") or ("3680483") or ("4474053") or ("3630801") or ("3648736") or ("4125423") or ("4428222") or ("4429561") or ("4571926") or ("5603200") or ("20020078970") or ("20040197219") or ("20040206781") or ("20050115208") or ("20060021298") or ("20070010387") or ("3816043") or ("3824825") or ("3982904") or ("4074958") or ("4532690") or ("4535832") or ("4546816") or ("4620660") or ("4754911") or ("4765529") or ("4770620") or ("4907957") or ("5645668") or ("5690007") or ("5711174") or ("5855544") or ("20040074327") or ("3861692") or ("3890083") or ("RE28540") or ("3926254") or ("3940834") or ("4083409") or ("4286791") or ("4289294") or ("4490130") or ("4555208") or ("4564487") or ("4579174") or ("4591323") or ("4618000") or ("4741191") or ("4749037"))).PN.	US-PGPUB; USPAT	OR	OFF	2008/09/01 20:59
L18	49	17 not (2 3 4 6 7 10 13 15)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/01 21:00
L21	9	242/362,362.2,571,576,576.1,407.1,470,579,580,587,587.2.ccls. and (roll\$2 bar \$1stock malleable yield\$4 (product material) near4 (metal\$3 steel alloy\$2)) near20 ((coil\$3 wind\$4) and (catch\$4 hold\$3 secur\$3 wedg\$4 friction\$4) and (end distal diameter surface outer cross\$1section) and (rib\$4)) not (yarn paper cloth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/01 21:15
L22	11	("0464234"   "1056410"   "1823990"   "3592399"   "3945585"   "4664329"   "5409180"   "6666398").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/01 21:26
L23	131	242/472.5,476.1.ccls. and (roll\$2 bar\$1stock malleable yield\$4 (product material) near4 (metal\$3 steel alloy\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/01 21:35
L24	42	23 and ((coil\$3 wind\$4) and (catch\$4 hold\$3 secur\$3 wedg\$4 friction\$4) and (end distal diameter surface outer cross\$1section) and (rib\$4 abut\$4 protru\$4 rib\$4 flar \$3 exten\$4 rais\$2)) not (yarn paper cloth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/01 21:36
L25	5	23 not 24 not (paper yarn strand cloth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/01 21:38

L26	227	242/362,362.2,571,576,576.1,407.1,470,579,580,587,587.2.ccls. and (protru\$4 tooth exten\$4 pinc\$3 abut\$5 rib\$4 rais\$2 channel slot aperture opening recess) near8 ((hold\$3 secur\$3 catch\$3 friction\$4 rotat\$4 turn\$4) and (coil\$3 reel\$3 spool \$3 wind\$4) and (wire roll\$2 malleable yield\$4 bar)) not (yarn paper cloth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/01 21:49
L27	95	26 not (2 3 4 6 7 10 13 15 18 21 22 23 24)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/01 21:52
L28	10	("2598398").URPN.	USPAT	OR	ON	2008/09/01 21:57
L29	15	("2271139"   "2598398"   "3107875"   "3244380").PN. OR ("3934836").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/01 21:59
S1	0	"10597262"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/31 22:09
S2	0	"10/597262"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/31 22:09
S3	4	US-4143834-\$.DID. or US-3507458-\$.DID.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/31 22:18
S4	3	US-3592399-\$.DID. or US-3945585-\$.DID. or US-3527077-\$.DID.	USPAT	OR	ON	2008/08/31 23:07
S5	13	("2971707"   "2971708"   "3186653"   "3208680").PN. OR ("3592399").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/31 23:10
S6	11	("0464234"   "1056410"   "1823990"   "3592399"   "3945585"   "4664329"   "5409180"   "6666398").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/31 23:10
S7	2	("1823990").URPN.	USPAT	OR	ON	2008/08/31 23:11

S8	1	("3527077").URPN.	USPAT	OR	ON	2008/08/31 23:14
S9	0	EP-1126934-\$.DID.	EPO	OR	ON	2008/08/31 23:20
S10	1	EP-1126934-\$.DID.	USOCR; EPO; DERWENT	OR	ON	2008/08/31 23:20
S11	1	EP-1126934-\$.DID.	USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/08/31 23:22
S12	2	("6318660").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/08/31 23:22
S13	12	("1660608"   "2529185"   "2789775"   "3945585"   "4664329"   "4674701"   "5465922"   "5769342"   "5772151").PN. OR ("6318660").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/31 23:23
S14	0	2004A000007	USOCR; EPO; DERWENT	OR	ON	2008/08/31 23:25
S15	0	UD2004A000007	USOCR; EPO; DERWENT	OR	ON	2008/08/31 23:25
S16	0	IT-2004A000007-\$.did.	USOCR; EPO; DERWENT	OR	ON	2008/08/31 23:26
S17	0	IT-2004000007-\$.did.	USOCR; EPO; DERWENT	OR	ON	2008/08/31 23:26
S18	0	2005WO-IB000105-\$.DID.	USOCR; EPO; DERWENT	OR	ON	2008/08/31 23:27
S19	1	WO-2005000105-\$.DID.	USOCR; EPO; DERWENT	OR	ON	2008/08/31 23:27
S20	2	WO-2005039794-\$.DID.	USOCR; EPO; DERWENT	OR	ON	2008/08/31 23:37
S21	0	IT-UD20040007A-\$.did.	USOCR; EPO; DERWENT	OR	ON	2008/08/31 23:37
S22	0	IT-UD2004A0007-\$.did.	USOCR; EPO; DERWENT	OR	ON	2008/08/31 23:38
S23	0	IT-UD2004A000007-\$.did.	USOCR; EPO; DERWENT	OR	ON	2008/08/31 23:38

9/1/2008 10:20:19 PM

C:\Documents and Settings\skruer\My Documents\EAST\Workspaces\Search - Device and Method for Forming Coils - 10597262.wsp